



## **PURCHASE ORDER**



4/24/24 **DELIVERY DUE DATE:** 

Supplier : **GOLDEN BAT (FAR EAST) INC.** 

#52 Sct. O.M. Alcaraz cor. D. Tuazon Sts., Quezon City Address:

TIN#: 000-373-371-000

Tel. No. : 8731-9745/8731-9746/8731-1795/8731-4974 PR No.:

2023-09-353

PO No.: Date:

2023-536 10/24/2023

Mode of Procurement:

Small Value

## Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

piece  Biobase Model BK-Bj1 (Blobase BK-Bj1 Tablet Disintegration Tester), Features; Auto-diagnose, auto-alarm, Stainless steel basket and paddle, Micro processor and LED display, The head part of the instrument can be turned over smoothly and flexibly, Water circulating in the bath to kepp the temperature comformity with magnetic pump, Technical Parameters; Model: Baske; BK-Bj1 (1pc), Braker Capacity; 1000mL, Speed Range; 30~32rpm, Basket Lifting Height; 55±1mm, Minimum Spacing; 25±2mm, Mesh Size; Standard 2mm, Temp. Range; RT~50°C, Temp. Precision; ±3°C, Timing Range; 1~900min, Time Precision; ±0.5min, Working Time; >24h, Power Consumption; 600W, Power Supply; AC220V/110V±10%, 50/60HZ, External Size(W*D*H) mm; 260*300*440. Package Size(W*D*H) mm; 390*360*520, Gross Weight(kg); 12  Biobase Model TFT-1 (Blobase TFT-1 Tablet Friability Tester), Features; Automation: auto-test, auto-diagnose, auto-alarm, Intelligently control the rotating speed of cylinder and revolutions, One drum runs synchronously. Auto stop at timing point (only for TFT-4), Single path and double cylinder, synchronous operation and automatic stop, The revolution of the drum can be preset at any time, either preset or real data is displayed on the LCD, Microprocessor unit is used to control all operations, high accuracy is achieved in testing rotary	Quantity 1	<b>Unit Cost</b> 55,000.00	<b>Total Cost</b> 55,000.00
Tester), Features; Auto-diagnose, auto-alarm, Stainless steel basket and paddle, Micro processor and LED display, The head part of the instrument can be turned over smoothly and flexibly, Water circulating in the bath to kepp the temperature comformity with magnetic pump, Technical Parameters; Model: Baske; BK-BJ1 (1pc), Braker Capacity; 1000mL, Speed Range; 30~32rpm, Basket Lifting Height; 55±1mm, Minimum Spacing; 25±2mm, Mesh Size; Standard 2mm, Temp. Range; RT~50°C, Temp. Precision; ±3°C, Timing Range; 1~900min, Time Precision; ±0.5min, Working Time; >24h, Power Consumption; 600W, Power Supply; AC220V/110V±10%, 50/60HZ, External Size(W*D*H) mm; 260*300*440, Package Size(W*D*H) mm; 390*360*520, Gross Weight(kg); 12  BIOBASE MODEL TFT-1 (Biobase TFT-1 Tablet Friability Tester), Features; Automation: auto-test, auto-diagnose, auto-alarm, Intelligently control the rotating speed of cylinder and revolutions, One drum runs synchronously. Auto stop at timing point (only for TFT-4), Single path and double cylinder, synchronous operation and automatic stop, The revolution of the drum can be preset at any time, either preset or real data is displayed on the LCD, Microprocessor unit is used	1	55,000.00	55,000.00
piece become an operations, high accuracy is achieved in testing rotary speed and circle number, Technical Parameters; Model; TFT-1, Cylinder Number; 2, Cylinder Radius; Φ286, Cylinder Depth; 39mm, Tablet Fall Height; 156mm, Rotating Speed; 20~100rpm, Rotation Count; 5~900 turns, Consumption; 40W, Power Supply; AC110/220V±10%, 50/60Hz, External Size(W*D*H) mm; 370*300*340, Package Size(W*D*H) mm; 440*400*525, Gross Weight (kg); 12	1	76,000.00	76,000.00
Purpose: for the conduct study entitled "Development of Hard Candy Lozenge from Munitigia Calabura and its Potential Pharmacological Activities- Dr. Robert V. Marcos, Lead Author  Total Amount in Words) One Hundred Thirty-One Thousand Pesos Only		ļ	131.000.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be Very truly yours,

(Signature over printed name & date)

TOTAL NO MORESTY:

N ROSETE Vice President for Administration Authorized Official

Bank Account Name:

Bank Account Number:

Please refer to the attached bank details

Bank Name: Bank Address:

Funds Available:

JASPER A. YAUDER, CPA

ALOBS No.: 16-706441 - 2072-10-0026 131.00 W Amount:

Page 1 of 1

**Budget Officer** No.: TSU-PRO-SF-09 Revision No. 03

Effectivity Date: August 24, 2020







Ţ	y

DELIVERY DUE DATE:	4/24/24
	7-11-1

Tel No.: 045-606-0142

Supplier: GOLDEN BAT (FAR EAST) INC.

Address: #52 Sct. O.M. Alcaraz cor. D. Tuazon Sts., Quezon City

TIN#: 000-373-371-000

Tel. No.: 8731-9745/8731-9746/8731-1795/8731-4974

PR No.:

2023-09-353

PO No.:

<u>2023-536</u>

Date: Mode of Procurement: 10/24/2023 Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: Date of Delivery:		TARLAC STATE UNIVERSITY	Delivery Term: Payment Term:		180 Calendar Days n/30
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
5	piece	BIOBASE MODEL BK-BJ1 (Biobase BK-BJ1 Tablet Disintegration Tester), Features; Auto-diagnose, auto-alarm, Stainless steel basket and paddle, Micro processor and LED display, The head part of the instrument can be turned over smoothly and flexibly, Water circulating in the bath to kepp the temperature comformity with magnetic pump, Technical Parameters; Model: Baske; BK-BJ1 (1pc), Braker Capacity; 1000mL, Speed Range; 30~32rpm, Basket Lifting Height; 55±1mm, Minimum Spacing; 25±2mm, Mesh Size; Standard 2mm, Temp. Range; RT~50°C, Temp. Precision; ±.3°C, Timing Range; 1~900min, Time Precision; ±0.5min, Working Time; >24h, Power Consumption; 600W, Power Supply; AC220V/110V±10%, 50/60HZ, External Size(W*D*H) mm; 260*300*440, Package Size(W*D*H) mm; 390*360*520, Gross Weight(kg); 12 BIOBASE MODEL TFT-1 (Biobase TFT-1 Tablet Friability Tester), Features; Automation: auto-test, auto-diagnose, auto-alarm, Intelligently control the rotating speed of cylinder and revolutions, One drum runs synchronously. Auto stop at timing point (only for TFT-4), Single path and double cylinder, synchronous operation and automatic stop, The revolution of the drum can be preset at any time, either preset or real data is displayed on the LCD, Microprocessor unit is used to control all operations, high accuracy is achieved in testing rotary speed and circle number, Technical Parameters; Model; TFT-1, Cylinder Number; 2, Cylinder Radius; Ф286, Cylinder Depth; 39mm,	1	55,000.00 76,000.00	76,000.00
		Tablet Fall Height; 156mm, Rotating Speed; 20~100rpm, Rotation Count; 5~900 turns, Consumption; 40W, Power Supply; AC110/220V±10%, 50/60Hz, External Size(W*D*H) mm; 370*300*340, Package Size(W*D*H) mm; 440*400*525, Gross Weight (kg); 12  Purpose: for the conduct study entitled "Development of Hard Candy Lozenge from Muntigia Calabura and its Potential Pharmacological Activities- Dr. Robert V. Marcos,			131.000.00

(Total Amount in Words) One Hundred Thirty-One Thousand Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be Very truly yours,

CC 11/15SION ON AUDIT

DR. GRACEN ROSETE
Vice President for Administration

Authorized Official

<u>/</u>5

Conforme:

## GOLDEN BAT (FAR EAST) INC.

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA Budget Officer

Revision No. 03

PROCURE VENT UNIT CARACTER FRUE FREV

ALOBS No.: 06-704441 -7072-10-0024

Amount: 131, 110-4)

Effectivity Date : August 24, 2020

Page 1 of 1

