DELIVERY DUE DATE:

9/6/23

Tel. No.: 045-606-8142/606-8157

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis. San Juan City

Type of Business: Merchandising TIN No.: 003-508-768-000

(02) 8721-2466 / 8722-8843 / 8722-8845

PR No.:

2023-05-173

PO No.: Date:

2023-328 7/18/2023

Mode of Procurement:

Small Value

Gentlemen:

Tel. No.:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: Date of Delivery:		TARLAC STATE UNIVERSITY			40 Calendar days
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
3	unit	LIGHT DOME, Apurture, Special Features: *Hexadecagon Shape with 16 Steel Rods; 2 Front Diffusers: 1.5 and 2.5 Stops; Removable Inner Diffuser; 40° Grid, Gel Filter Holder; Widely Compatible Bowens Speed Ring; Carrying Bag; 24" Depth for Focused Output; High-Output Reflective Silver Interior; Natural-Looking Catchlights	2	10,000.00	20,000.00
9	unit	MULTICOLOR MINI LED LIGHT, Apurture MC RGBWW, Special Features: *Palm-Size Multifunction RGB LED Light; 1/4"-20 Thread & Built-In Mount Magnets; 3200 to 6500K Color Temperature, 96 CRI; 360° Hue Control; 9 Built-In Special Effects; 95% BT 2020 Gamut Coverage; Companion iOS/Android Control App; 2-Hour Max Brightness Integrated Battery; OLED Display with Control Wheel	3	10,000.00	30,000.00
11	Unit	SOUND SYSTEM, EK AUDIO PS-1215BT, Specifications: -15" 2-way portable battery speaker, LF Components: 15" Woofer; HF Components: 3.2" Ti. Diap. Driver 1" VC; 2x wireless microphone; USB/SD/FM/Bluetooth; Recording System; Karaoke with Echo; Microphone Priority Function; Independent microphone volume control; Remote control; 5 band equalizer; RCA Line in; 2 Mic input; Guitar input (shared with mic 2 input); Nominal Impedance: 8 ohms; Sensitivity: 97 dB; Built-in battery (12V7A) and ext. 12V DC input; Internal battery level display; Power Supply AC 115V-230V/50Hz-60Hz; Retractable handle and wheels; Equipped for placement on a tripod tophat; Frequency Response: 45Hz to 20 20KHz; LCD Screen; Peak Power 400watts	1	13,000.00	13,000.00
	90 F.W.	Sub-Total:			63,000.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be Imposed

Conforme:

SILO 7/28/23

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number

Bank Name: Bank Address:

Funds Available:

JASPER A. YAUDER, CPA **Budget Officer**

No.: TSU-PRO-SF-09 Revision No. 03 COMMISSION ON AUDIT. TSU

Very truly yours,

RECEIVED 24 4 LE 11 72023

ALOBS No. : 02-10441 228 -07-174 Amount: 296, 650. W

DR. GRACE N. ROSETE

Vice President for Administration

Authorized Official

Effectivity Date: August 24, 2020

Page 1 of 4

Tel. No.: 045-606-8142/606-8157

DELIVERY DUE DATE:

9/6/23

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy, Batis, San Juan City

Type of Business: Merchandising TIN No.: 003-508-768-000

Tel. No.: 102) 8721-2466 / 8722-8843 / 8722-8845

PR No .:

2023-05-173

PO No .:

2023-328

Date: Mode of Procurement:

7/18/2023 Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions of

Place of Del Date of Deli	100	TARLAC STATE UNIVERSITY	Delivery Payment		40 Calendar days	
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost	
15	Unit	Wireless Microphone System, Sarmonic Blink 500 Pro B2 Specifications. Transmitters - Reception Type: 2.4GHz Digital Frequency; RF Frequency Band: 2400 to 2483.5 MHz, Modulation. Gaussian Frequency-Shift Keying (GFSK); Operating Range: Up to 328" (100m); RF Output Power: 10mW; Built-in Microphone Polar Pattern: Omnidirectional; Frequency Besponse 50Hz to 18KHz; Built-in Microphone Maximum SPL: 110dB; Luxalier Microphone Sensitivity: -39dB; Lavalier Microphone Maximum SPL: 110dB; Luxalier Microphone Sensitivity: -39dB; Reference Audio Input Level: -30-42dBv MiC input, 0dB Attenuation; Input Connector: 3.5mm Mic In / Line In (Mic with Plug-in-Power); Digital Signal Resolution: 24bit / 44.1kHz; Signal-to-Noise Ratio: 278dB Voice Delay: 56ms; Distortion: 0.05%; Power Requirements: Built-in Li-lon Battery, Micro USB DC 5V or Charging Contact; Battery Life: Approximately 8-hours; Antenna: PIFA Antenna: High-contrast OLED Screen Resolution: 128 X 64 pixels; Other Punctions: Tatalie Mute Function; Weight: 1.13ac (32g); Dimensions: 2.22 x 1.5 x 1.03" (56.5 x 38 x 26.1mm); Operating Temperatures: 0° to 122°F (0°C to 50°C); Storage Temperatures: 4° to 232°F (-20°C to +55°C) SR-M1 Lavaliers Specifications: Acoustic Principle: Electret Condensor; Polar Pattern: Omnidirectional; Connector: 3.5mm; Cable Length: 4.1" (1.25m); Maximum SPL: 110dB; Sensitivity: -39dB+/-2dB(0dB=1V/Pa. 1kHz); Signal-to-Noise Ratio: 260dB; ThD: <1% (94dB SPL at 1kHz); Power Requirements: Plug-in-Power (1V~10V); Standard Operating; Voltage: 3V Current Consumption: <500µA; Output Impedance: <2.2K Receiver Specifications: Reception Type: 2.4GHz Digital Frequency; RF Frequency Band: 2400 to 2483.5 MHz; Modulation: Gaussian Prequency-Shift Keying (GPSK); Operating Range: Up to 328 (100m); Line Output Connector: 3.5mm; Output Level: -50dBv to -20dBv. Output Mode Types: Mono / Steree; Digital Signal Resolution: 24bit / 44.1kHz; Signal-to-Noise Ratio: 276dB; Voice Delay: 56ms; Distortion: 0.05%; Headphone Output Connector: 3.5mm: Power Requirements: Bui	4	20,000.00	63,000.00 80,000.00	
		Sub-Total:			143,000.00	

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

FSILD 7/28/23

DR. GRACE A ROSETE Vice President for Administration Authorized Official

COMMISSION ON AUDIT. TSU

Very truly yours,

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number

Bank Name:

Bank Address:

Funds Available:

JASPER A-YAUDER, CPA

Budget Officer

No.: TSU-PRO-SF-09

ALOBS No.: 02-204441-207-07-17-1

Effectivity Date: August 24, 2020



DELIVERY DUE DATE: 9/6/23

Tel. No.: 045-606-8142/606-8157

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt. St. Brgy. Batis, San Juan City

Type of Business: Merchandising
TIN No.: 003-508-768-000

Tel. No.: (02) 8721-2466 / 8722-8843 / 8722-8845

PR No.:

2023-05-173

PO No.:

2023-328

Date:

7/18/2023

Mode of Procurement:

Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del Date of Deli	1844	TARLAC STATE UNIVERSITY	Delivery T Payment		40 Calendar days	
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost	
16	piece	WIRED MICROPHONES, BEHRINGER XM18000S Dynamic vocal and instrument microphone with on/off switch for excellent studio and live performance; Ultra-wide frequency response for brilliant and transparent sound; Extremely high signal output lets your voice cut through; Cardioid characteristic minimizes background noise and feedback; Convenient on/off switch to mute during breaks; Integrated spherical wind and pop noise filter; Microphone stand adapter and impact-resistant carrying case included	3	4,500.00	143,000.00 13,500.00	
17	piece	QUAD CONNECTORS, ROXTONE PREMIUM -3 External Line return (XLR) F connectors; 3 XLR connectors 3 mic wire stereo 10M (each); "Connector Type: XLR Cable; Type:XLR; Compatible Devices: Speakers, Mic; Color: Black; Gauge: 21.0-24.0; Weight: 10.4 ounces	1	1,200.00	1,200.00	
18	unit	3.5mm Jack to RCA Cable -PVC Connector A: 3.5mm Male Connector, B: 2RCA; Cable Length:1.17m/46 Outside Diameter; Type: Audio 3.5 mm	3	150.00	450.00	
22	sets	DUAL WIRELESS MIC TRANSMITTER AND RECEIVER, BOYA BY-WM4 PROK2 Compatible with smartphone, DSLR. consumer camcorders and PCs etc.; Ideal for video, podcast, and mobile journalism applications etc.; 2.4GHz digital transmission technology; Two Transmitter and one dual-channel Receiver; Line input jack on transmitter for digital audio input; Headphone jack on receiver for real-time monitoring; Up to 60m (197) operation range without obstacle; Powered by two AAA batteries; Omnidirectional lavalier microphones, zipper bag, standard camera shoe mount and clips included	2	7,000.00	14,000.00	
		Sub-Total:			172,150.00	

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

Xs120 7/28/23

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

JASPER A. YAUDER, CPA

No.: TSU-PRO-SF-09 Revision No.

COMMISSION ON AUDIT. TSLI

DR. GRACHN. ROSETE

Vice President for Administration

Authorized Official

RECEIVED AUG 1 F 2023

ALOBS No.: 67-26491-2003-07-1741 Amount: 276-650. D

Effectivity Date: August 24, 2020

Very truly yours,

Page 3 of 4

Tel. No.: 045-606-8142/606-8157

DELIVERY DUE DATE:

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis. San Juan City

Type of Business: Merchandising TIN No.: 003-508-768-000

Tel. No.: (02) 8721-2466 / 9722-8843 / 9722-8845 PR No.:

2023-05-173

PO No .: Date:

2023-328 7/18/2023

9/6/23

Mode of Procurement:

Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Date of Delivery:		TARLAC STATE UNIVERSITY	Delivery Term: Payment Term:		40 Calendar days	
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost	
23	Unit	Balance Forwarded: HD / SD CHARACTER GENERATOR KIT, DATAVIDEO TC-200 Video Input: HDMI x1, HD-SDI x1 Video Output: HD-SDI x2 Input Format: 1080i 50/59 60; 720p 50/59/60; 576i 50; 480i 59 Control: By Dip Switch/PC F/W Upgrade: Ethernet (RI-45) Power: DC 12V		47,000.00	172,150.00 47,000.00	
25	Unit	HEADPHONE W/ MICROPHONE, LOGITECH H390 USB COMPUTER HEADSET Dimensions: Height: 171 mm; Width: 151 mm; Depth: 68 mm; Weight: 0.197 kg Cable length: 1.9 m Technical Specifications Microphone Type: Bi-directional "Input Impedance: 32 Ohm Sensitivity (headphone): 94 dBV/Pa +/- 3 dB Sensitivity (microphone): -17 dBV/Pa +/- 4 dB Frequency response (Headset): 20 Hz - 20 kHz "Frequency response (Microphone): 100 Hz - 10 KHz	23	2,500.00	57,500.00	
		Warranty: One (1) year warranty on parts and service Purpose: Audio and Visual Supplies - APP 1st Quarter 2023			276,650,00	

(Total Amount in Words) Two Hundred Seventy Six Thousand Six Hundred Fifty Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

5100 7/28/23

Very truly yours,

DR. GRACE N. ROSETE Vice President for Administration

Authorized Official

COMMISSION ON AUDIT TELL

RECEIVED AUG 11-2023

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name: Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPERA-YAUDER, CPA

Budget Officer

ALOBS No.: 02 mayay. 2020-04-1741 Amount: 274.450.20

Effectivity Date: August 24, 2020



DELIVERY DUE DATE:

Tel. No.:	045-606-8142	/ 606-8157

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City

Type of Business: Merchandising

TIN No.: 003-508-768-000

Tel. No.: (02) 8721-2466 / 8722-8843 / 8722-8845 PR No .:

2023-05-173 2023-328

PO No.: Date:

7/18/2023

Mode of Procurement:

Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del	ivery:	TARLAC STATE UNIVERSITY	Delivery T	erm:	40 Calendar days	
Date of Deli	very:		Payment Term:		N/15	
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost	
3	unit	LIGHT DOME, Apurture, Special Features: *Hexadecagon Shape with 16 Steel Rods; 2 Front Diffusers: 1.5 and 2.5 Stops; Removable Inner Diffuser; 40° Grid, Gel Filter Holder; Widely Compatible Bowens Speed Ring; Carrying Bag; 24" Depth for Focused Output; High-Output Reflective Silver Interior; Natural-Looking Catchlights	2	10,000.00	20,000.00	
9	unit	MULTICOLOR MINI LED LIGHT, Apurture MC RGBWW, Special Features: *Palm-Size Multifunction RGB LED Light; 1/4"-20 Thread & Built-In Mount Magnets; 3200 to 6500K Color Temperature, 96 CRI; 360° Hue Control; 9 Built-In Special Effects; 95% BT 2020 Gamut Coverage; Companion iOS/Android Control App; 2-Hour Max Brightness Integrated Battery; OLED Display with Control Wheel		10,000.00	30,000.00	
11	Unit	SOUND SYSTEM, EK AUDIO PS-1215BT, Specifications: -15" 2-way portable battery speaker; LF Components: 15" Woofer; HF Components: 3.2" Ti. Diap. Driver 1" VC; 2x wireless microphone; USB/SD/FM/Bluetooth; Recording System; Karaoke with Echo; Microphone Priority Function; Independent microphone volume control; Remote control; 5 band equalizer; RCA Line in; 2 Mic input; Guitar input (shared with mic 2 input); Nominal Impedance: 8 ohms; Sensitivity: 97 dB; Built-in battery (12V7A) and ext. 12V DC input; Internal battery level display; Power Supply AC 115V-230V/50Hz-60Hz; Retractable handle and wheels; Equipped for placement on a tripod tophat; Frequency Response: 45Hz to 20 20KHz; LCD Screen; Peak Power 400watts	1	13,000.00	13,000.00	
		Sub-Total:			63,000.00	

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE Vice President for Administration

Authorized Official

COMMISSION ON AUDIT. TSU

Conforme:

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Amount: 274,650.0

ALOBS No. : 02 - 716441- 127-07-1741

Page 1 of 4

Revision No. 03

Effectivity Date: August 24, 2020



400	
6	

-1	MT-		cne	01			-	
eı.	NO.:	045-	OUD-	814	12.7	606-	R1	57

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City

Type of Business: Merchandising TIN No.: 003-508-768-000

Tel. No.: (02) 8721-2466 / 8722-8843 / 8722-8845

DELIVERY DUE DATE:

PR No .:

2023-05-173

PO No.: Date:

2023-328 7/18/2023

Mode of Procurement:

Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del		TARLAC STATE UNIVERSITY	Delivery		40 Calendar days
Date of Deli Item No.	Unit	Description	Payment Quantity	Unit Cost	N/15 Total Cost
15	Unit	Balance Forwarded: WIRELESS MICROPHONE SYSTEM, SARMONIC BLINK 500 PRO B2 Specifications: Transmitters - Reception Type: 2.4GHz Digital Frequency; RF Frequency Band: 2400 to 2483.5 MHz; Modulation: Gaussian Frequency-Shift Keying (GFSK); Operating Range: Up to 328″ (100m); RF Output Power: 10mW; Built-in Microphone Polar Pattern: Omnidirectional; Frequency Response 50Hz to 18KHz; Built-in Microphone Maximum SPL: 120dB; Built-in Microphone Sensitivity39dB; Lavalier Microphone Maximum SPL: 110dB; Lavalier Microphone Sensitivity39dB; Reference Audio Input Level: -3042dBv MIC input, 0dB Attenuation; Input Connector: 3.5mm Mic In / Line In (Mic with Plug-in-Power); Digital Signal Resolution: 24bit / 44.1kHz; Signal-to-Noise Ratio: 278dB Voice Delay: 56ms; Distortion: 0.05%; Power Requirements: Built-in Li-ion Battery, Micro USB DG SV or Charging Contact; Battery Life: Approximately 8-hours; Antenna: PIFA Antenna; High-contrast OLED Screen Resolution: 128 X 64 pixels; Other Functions: Tactile Mute Function; Weight: 1.13oz (32g); Dimensions: 2.22 x 1.5 x 1.03″ (56.5 x 38 x 26.1mm); Operating Temperatures: 0° to 122°F (0°C to 50°C); Storage Temperatures: -4° to 131°F (-20°C to +55°C) SR-M1 Lavaliers Specifications: Acoustic Principle: Electret Condenser; Polar Pattern: Omnidirectional; Connector: 3.5mm; Cable Length: 4.1′ (1.25m); Maximum SPL: 110dB; Sensitivity: -39dB+/-2dB(0dB=1V/Pa, 1kHz); Signal-to-Noise Ratio: 260dB; THD: <1% (94dB SPL at 1kHz); Power Requirements: Plug-in-Power (1V~10V); Standard Operating; Voltage: 3V Current Consumption: <500μA; Output Impedance: <2.2K Receiver Specifications: Reception Type: 2.4GHz Digital Frequency; RF Frequency Band: 2400 to 2483.5 MHz; Modulation: Gaussian Frequency-Shift Keying (GFSK); Operating Range: Up to 328 (100m); Line Output Connector: 3.5mm; Output Level: -60dBv to -20dBv; Output Mode Types: Mono / Stereo; Digital Signal Resolution: 24bit / 44.1kHz; Signal-to-Noise Ratio: 278dB; Voice Delay: 56ms; Distortion: 0.05%; Headphone Output Connector: 3.5mm; P	4	20,000.00	63,000.00 80,000.00
		Sub-Total:			143,000.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed Very truly yours,

Conforme:

DR. GRACE N. ROSETE Vice President for Administration

Authorized Official

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Revision No. 03

Budget Officer

ALOBS No. : 0 2. 20441.2020 -04 . 174 (Amount: 274.650.0

Effectivity Date: August 24, 2020 Page 2 of 4



DELIVERY DUE DATE:

Tel. No.: 045-606-8142/606-8157

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City

Type of Business: Merchandising TIN No.: 003-508-768-000

(02) 8721-2466 / 8722-8843 / 8722-8845 Tel. No.:

PR No.:

2023-05-173 2023-328

PO No.: Date:

7/18/2023

Mode of Procurement:

Small Value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Please f	urnish th	is office the following articles subject to the terms and conditions	Delivery T	erm:	40 Calendar days
Place of Del		TARLAC STATE UNIVERSITY	Payment		N/15
Date of Deli	very:		Quantity	Unit Cost	Total Cost
Item No.	Unit	Description	Quantity	omi coor	143,000.00
16	piece	WIRED MICROPHONES, BEHRINGER XM18000S	3	4,500.00	13,500.00
		Dynamic vocal and instrument microphone with on/off switch for excellent studio and live performance; Ultra-wide frequency response for brilliant and transparent sound; Extremely high signal output lets your voice cut through; Cardioid characteristic minimizes background noise and feedback; Convenient on/off switch to mute during breaks; Integrated spherical wind and pop noise filter; Microphone stand adapter and impact-resistant carrying case included			
17	piece	QUAD CONNECTORS, ROXTONE PREMIUM -3 External Line return (XLR) F connectors; 3 XLR connectors 3 mic wire stereo 10M (each); "Connector Type: XLR Cable; Type:XLR; Compatible Devices: Speakers, Mic; Color: Black; Gauge: 21.0-24.0; Weight: 10.4 ounces	1	1,200.00	1,200.00
18	unit	3.5mm Jack to RCA Cable -PVC Connector A: 3.5mm Male Connector, B: 2RCA; Cable Length:1.17m/46 Outside Diameter; Type: Audio 3.5 mm	3	150.00	450.00
22	sets	DUAL WIRELESS MIC TRANSMITTER AND RECEIVER, BOYA BY-WM4 PROK2 Compatible with smartphone, DSLR. consumer camcorders and PCs etc.; Ideal for video, podcast, and mobile journalism applications etc.; 2.4GHz digital transmission technology; Two Transmitter and one dual-channel Receiver; Line input jack on transmitter for digital audio input; Headphone jack on receiver for real-time monitoring; Up to 60m (197) operation range without obstacle; Powered by two AAA batteries; Omnidirectional lavalier microphones, zipper bag, standard camera shoe mount and clips included	2	7,000.00	14,000.00
		Sub-Total:			172 150 00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

DR. GRACE N. ROSETE Vice President for Administration

RECEIVED

Very truly yours,

Authorized Official

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer Revision No. 03 ALOBS No.: 27-2041-2027-07-17-17

Effectivity Date: August 24, 2020 Page 3 of 4



Tel. No.: 045-606-8142/606-8157

Supplier: THE BRAIN COMPUTER CORPORATION

Address: TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City

Type of Business : Merchandising

003-508-768-000 TIN No.:

[02] 8721-2466 / 8722-8843 / 8722-8845 Tel. No.:

DELIVERY DUE DATE:

PR No.:

2023-05-173

PO No.: Date:

2023-328 7/18/2023

Mode of Procurement:

Small Value

40 Calendar days

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein: Delivery Term: TARLAC STATE UNIVERSITY

Place of Delivery: Date of Delivery:		TARLAC STATE UNIVERSITY	Payment Term:		N/15
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
Item No.	-	Balance Forwarded:		144	172,150.00
23	Unit	HD / SD CHARACTER GENERATOR KIT, DATAVIDEO TC-200 Video Input: HDMI x1, HD-SDI x1	1	47,000.00	47,000.00
		Video Output: HD-SDI x2 Input Format: 1080i 50/59 60; 720p 50/59/60; 576i 50; 480i 59			
		Control: By Dip Switch/PC F/W Upgrade: Ethernet (RJ-45) Power: DC 12V			
25	Unit	HEADPHONE W/ MICROPHONE, LOGITECH H390 USB COMPUTER HEADSET	23	2,500.00	57,500.00
		Dimensions: Height: 171mm; Width: 151mm; Depth: 68 mm; Weight: 0.197 kg Cable length: 1.9 m			
		Technical Specifications	- 3		
		Microphone Type: Bi-directional "Input Impedance: 32 Ohm Sensitivity (headphone): 94 dBV/Pa +/- 3 dB			
		Sensitivity (microphone): -17 dBV/Pa +/- 4 dB			
		Frequency response (Headset): 20 Hz - 20 kHz "Frequency response (Microphone): 100 Hz - 10 KHz			
		Warranty: One (1) year warranty on parts and service	37		
		*************************************			276,650.00
(Total Assault		Purpose: Audio and Visual Supplies - APP 1st Quarter 2023	E 1		

(Total Amount in Words) Two Hundred Seventy Six Thousand Six Hundred Fifty Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonwarranty snall be for a period minimum of times (3) months for expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for

Very truly yours,

Conforme:

DR. GRACE N ROSETE Vice President for Administration Authorized Official

THE BRAIN COMPUTER CORPORATION (Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

ALOBS No.: 02. 20441. 2023.07. 174 Amount: 274, 451.0

Effectivity Date: August 24, 2020

Page 4 of 4