

DELIVERY DUE DATE: 0 2 JAN 2025

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Type of Business:

Merchandising

TIN No.: 007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680

PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Date of Deli Item No.	very:		Payment	Term:	N/30
Item No.	Unit		Payment Term: N/30	11,00	
		Description	Quantity	Unit Cost	Total Cost
2	unit	ADAPTER, HDMI to VGA Adapter VENTION HDMI to VGA Converter Color: Black Interface Type: HDMI 1.4 Male, VGA Female Interface Process: Gold-Plated (HDMI), Nickel Plated (VGA) Resolution: 1080p@60hz Conductor Material: Pure Copper, ABS Cable Length: 15cm Cable Od.: 5.0mm Shielding: Aluminium Foil + Metal Braided AWG: 30awg Warranty: 1 Year Local Supplier Warranty	1	985.00	985.00
5	unit	CAMERA, WEB LOGITECH C310 720p HD Max Resolution: 720p/30fps Camera mega pixel: 1.2 Focus type: fixed focus Lens type: plastic Built-in mic: Mono Mic range: Up to 1 m Diagonal field of vieaw (dFoV): 60° Universal mounting clip Auto Light Correction: Yes, Noise Cancelling Mic: Yes Warranty: 2 years local supplier warranty	18	2,300.00	41,400.00
10	unit	STORAGE, EXTERNAL HDD WESTER DIGITAL MY PASSPORT (WDBYVG0010BBK-WESN) Capacity: 1TB; Product Features Slim Style, built-in 256-bit AES hardware encryption with password protection, comes with backup software; Connector: Micro-B Interface: UBS 3.2 Gen 1, USB 3.0, USB 2.0 Transfer Rate: up to 5Gb/s Warranty: 3 years manufacturer warranty	6	3,650.00	21,900.00
11	unit	STORAGE, EXTERNAL HDD WESTERN DIGITAL MY PASSPORT (WDBYVG0020BBK-WESN) Capacity: 2TB; Product Features Slim Style, built-in 256-bit AES hardware encryption with password protection, comes with backup software; Connector: Micro-B Interface: UBS 3.2 Gen 1, USB 3.0, USB 2.0 Transfer Rate: up to 5Gb/s Warranty: 3 years manufacturer warranty	6	4,500.00	27,000.00
14	unit	STORAGE, EXTERNAL SSD SAMSUNG T7 Capacity:500GB; Interface. Compatible with USB 3.2 Gen2 (10 Gbps), backwards compatible, Transfer Speed: Up to 1,050 MB/s Features: Built strong and secure Dynamic Thermal Guard solid aluminum unibody construction Warranty: 3 years Local Supplier warranty Sub-total:	2	6,975.00	13,950.00 105,235.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

ADEGATIO C MAWAG 11 24 2021 GHTNET CONNECT SYSTEMS CORP.

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

<u>Lightnet</u> Connect Systems Corp.

andbank of the Philipping

Pateros

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

ALOBS No.: 02-206441-2024-11-3702

Amount:

Very truly yours,

2,300,548.00

OLD E. VELASCO

resident

Authorized Officia

Effectivity Date: August 24, 2020

Page 1 of 11



DELIVERY DUE DATE: 0 2 JAN 2025

11/13/2024

Public Bidding

Date:

Tel. No.: 045-606-8142/606-8157

Supplier:

LIGHTNET CONNECT SYSTEMS CORP. PR No.: 2024-04-157 454-I T. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila PO No.: 2024-722

Type of Business: Merchandising

007-819-633-00000 VAT Reg. TIN No.: Mode of Procurement:

Tel. No.: 0975-456-4680

Gentlemen:

Address:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del	ivery:	TARLAC STATE UNIVERSITY	Delivery Term:		30 Calendar days
Date of Deli	very:		Payment	nent Term: N/30	N/30
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		Balance Forwarded:			105,235.00
16	box	CABLE, FIBER Shrinkable sleeve 100pcs/box 60mm fiber optic sleeve	2	490.00	980.00
		Characteristics: Single holed (pre-shrunk) Clear sleeve design Smooth			
		stainless steel reinforcing member Sealing structure suitable to			
		temperature Extended liner length Low shrink temperature pre-			
		installed stainless steel or ceramic rod Accommodates single or			
		ribbon fibers Wide range of sizes Operating temperature 45degree to			
		100degree Min. full recovery temp: 120degree			
17	unit	FLASH DRIVE, KINGSTON DATA TRAVELER EXODIA M Capacity:	1	493.00	493.00
		64GB Speed: USB 3.2 Gen 1 compliant; Blue; Warranty: 1 year local	J		
		supplier warranty			
18	unit	SWITCH, GIGABIT D-LINK DGS 1016D 16-PORT Number of Ports:	5	5,450.00	27,250.00
		Sixteen (16) 10/100/1000 Gigabit ports Standards: IEEE 802.3			
		10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3ab 1000BASE-T,			
		ANSI/IEEE 802.3 NWay auto-negotiation, IEEE 802.3x Flow Control			
		Data Transfer Rates Ethernet: 10 Mbps (half duplex)/20 Mbps (full			
		duplex) 100 Mbps (half duplex)/200 Mbps (full duplex), 2000 Mbps			
		(full duplex Security Storm: Control QoS (Quality of Service): 802.1p			
		priority, 8 queues Protocol: CSMA/CD Switching Capacity: 32 Gbps			
		MAC Address Learning: Self- learning, auto-aging Forwarding Mode:			
		Store-and-forward DIP Switch: Energy-Efficient Ethernet (EEE), Flow			
1		Control, Port Isolation and Storm Control MTBF 1,882,372 hours			
19	unit	Warranty: 1 year local supplier warranty SWITCH, GIGABIT D-LINK DGS 1024D 24-PORT Number of Ports:	-	0.460.00	42.200.00
19	unit	Twenty- four (24) 10/100/1000 Gigabit ports Standards: IEEE 802.3	5	8,460.00	42,300.00
		10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3ab 1000BASET,			
		ANSI/IEEE 802.3 NWay auto-negotiation, IEEE 802.3x Flow Control			
		Data Transfer Rates Ethernet: 10 Mbps (half duplex) / 20 Mbps (full			
		duplex) 100 Mbps (half duplex)/200 Mbps (full duplex), 2000 Mbps			
		(full duplex Security Storm: Control QoS (Quality of Service):			
					484 080 00
		Sub-total:			176,258.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

ABEGAIL <u>LIGHTNET CONNECT</u>

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

Very truly yours,

02-206441-2024-11-3702

D E. VELASCO

President

uthorized Officia

ALOBS No.:

2.300.548.00 Amount:

Effectivity Date: August 24, 2020

Page 2 of 11



Procurement Unit Tel. No.: 045-606-8142/606-8157 DELIVERY DUE DATE: 0 2 JAN 2023

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Merchandising

PR No.: PO No.:

2024-04-157 2024-722

Type of Business:

Date:

11/13/2024

007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680 Mode of Procurement:

Public Bidding

Gentlemen:

TIN No.:

Please furnish this office the following articles subject to the terms and conditions contained herein:

	lace of Delivery: TARLAC STATE UNIVERSITY		Delivery Term:		30 Calendar days
Date of Deli	very:		Payment	Term:	<u>N/30</u>
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
22	unit	Balance Forwarded: 802.1p priority, 8 queues Protocol: CSMA/CD Switching Capacity: 32 Gbps MAC Address Learning: Self- learning, auto-aging Forwarding Mode: Store-and-forward DIP Switch: Energy-Efficient Ethernet (EEE), Flow Control, Port Isolation and Storm Control MTBF: 863,100 hours Warranty: 1 year local supplier warranty SWITCH, GIGABIT TP-LINK TL-SG108PE 8 port 10/100/1000 Mbps RJ45 ports; 4x PoE+ ports transfer data and power on individual cables; Works with IEEE 802.3af/at compliant PDs; Plug and Play, no configuration and installation required; 802.1p/DSCP QoS enable smooth latency-sensitive traffic; Supports PoE power up to 30 W for each PoE port; Supports POE power up to 64 W for all PoE ports Warranty: 1 year local supplier warranty STORAGE, INTERNAL HDD WESTERN DIGITAL WD GOLD ENTERPRISE WD121KRYZ 12TB Hard Drive for Server Computer Class: Enterprise- Class SATA HDD Form factor 3.5-inch Interface SATA 6 Gb/s 512n/512e user sectors per drive: 512e Formatted capacity: 12TB Data Transfer Rate (max Sustained): 255MB/s RPM: 7200 Cache: 256MB MTBF (hours, projected): 2,000,000 Acoustics (average): Idle Mode 20 dBA, Seek Mode 36 dBA Features: Helio Seal technology, Enhance Reliability, Vibration Protection Warranty: 5 years local supplier warranty CABLE, HDMI (10 METERS), VENTION "HDMI Cable (10 Meters) Color: Black Interface Type: Standard HDMI Interface Process: Gold- plated Resolution: 4K 60Hz-1080P 60Hz Conductor Material: Pure Copper Jacket: PVC Head: Two-color PVC injection Cable Length: 10	10 3	4,745.00 28,975.00 994.00	176,258.00 47,450.00 86,925.00
		meters Cable OD: 8.0mm/9.5mm Shielding: Aluminum foil mylar+Metal Braied AWG: 30AWG"			
		Sub-total:			317,591.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

JASPER A. YAUDER, CPA

Budget Officer

No.: TSU-PRO-SF-09 Revision No. 03 ALOBS No.:

02-206441-2024-11-3702

Amount:

Very truly yours,

2,300,548.00

D E. VELASCO

esident

uthorized Official

Effectivity Date: August 24, 2020



DELIVERY DUE DATE:

0 2 JAN 2025

Procurement Unit

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Type of Business:

Merchandising 007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Gentlemen:

TIN No.:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Deli	ivery:	TARLAC STATE UNIVERSITY	Delivery 7	Гerm:	30 Calendar days
Date of Deli	very:		Payment	Term:	<u>N/30</u>
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
25	unit	Balance Forwarded: CABLE, HDMI (5 METERS), VENTION "HDMI Cable (5 Meters) Color: Black Interface Type: Standard HDMI Interface Process: Gold-plated Resolution: 4K 60Hz-1080P 60Hz Conductor Material: Pure Copper Jacket: PVC Head: Two-color PVC injection Cable Length: 5 meters Cable OD: 8.0mm/9.5mm Shielding: Aluminum foil mylar+Metal	13	684.00	317,591.00 8,892.00
26	unit	Braied AWG: 30AWG" HEADPHONE, W/ MIC, LOGITECH H390 Audio DriverA: 30mm Noise Cancellation: Yes In-line controls: Yes Microphone Type: Bi-directional Input Impedance: 32 Ohm Sensitivity (headphone): 94 dBV/Pa +/- 3 dB Sensitivity (microphone): -17 dBV/Pa +/- 4 dB Frequency response (Headset): 20 Hz - 20 kHz Frequency response (Microphone): 100 Hz - 10 KHz Cable Length: 1.9m Warranty: 2 years	4	2,475.00	9,900.00
28	unit	manufacturer warranty PRINTER, IMPACT DOT MATRIX EPSON LQ-590II Print Method: Impact dot matrix Number of Pins: 24 High Speed Draft: 10/12cpi: 487/584 cps Printhead Life: 400 million strokes/wire Character Sets: 1 Italic and 12 graphical character tables: Italic table, PC437 (US, StandardEurope), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC865 (Nordic), PC863 (Canadian-French), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC858, ISO 8859-15 Continuous Paper (Single Sheet/ Multi-part) Entry: Front, Rear, Bottom Length: 101.6- 558.8mm (4.0-22.0") Width: 101.6-254mm (4.0-10.0") Thickness: 0.065-0.49mm (0.0025-0.019") Copies: Original + 6 copies Push Tractor: Front or rear in, top out Pull Tractor: Front, rear or bottom in, top out interface: USB 2.0, Bi- directional parallel USB 2.0, Bi- directional parallel Warranty: 1 year local supplier warranty	2	39,200.00	78,400.00
		Sub-total:			414,783.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

LIGHTNET CONNECT SYS

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

LandBank

Bank Name: Bank Address:

Pateros

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

ALOBS No.: 02-206441-2024-11-3702

Amount:

Very truly yours,

2,300,548.00

Effectivity Date: August 24, 2020





DELIVERY DUE DATE:

0 2 JAN 2025

Procurement Unit

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Type of Business: Merchandising

TIN No.: 007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.: Date:

2024-722

Mode of Procurement:

11/13/2024 Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del	ivery:	TARLAC STATE UNIVERSITY	Delivery'	Term:	30 Calendar days
Date of Delivery:			Payment	Term:	N/30
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
32	unit	PRINTER, MULTIFUNCTION COLORED EPSON ECOTANK L6290 Print, Scan, Copy and Fax; Compact integrated tank design; Print speeds up to 15.5ipm for black and 8.5ipm for colour; Auto-Duplex printing; ADF capability; Ethernet & Wi-Fi Direct; Seamless setup with Epson Smart Panel; Borderless Printing up to A4 size; Spill-free ink refilling, Maximum Copy Size: Legal, Copy Resolution: 600 x 600 dpi; Max Copies: 99 copies; ISO 29183, A4 Simplex Flatbed (Black/Colour): Up to 11.0 ipm / 5.5 ipm; ISO 24735, A4 Simplex ADF (Black/Colour): Up to 60 sec/82 sec; Scanner Type: Flatbed colour image scanner; Sensor Type: CIS; Optical Resolution: 1200 x 2400 dpi; Maximum Scan Area: 216 x 297 mm (8.5 x 11.7 "); Scanner Bit Depth (Colour): 48-bit input, 24-bit output, Scanner Bit Depth (Grayscale): 16-bit input, 8-bit output; Scanner Bit Depth (Black & White): 16-bit input, 1-bit output; Flatbed (Black/Colour): 200dpi. 12 sec/27 sec; ADF Monochrome (Simplex): 200dpi: 5.0 ipm; ADF Colour (Simplex): 200dpi: 5.0 ipm; Support Paper Thickness: 64-95 g/m2; Paper Capacity: 30 sheets; Dimensions (W x D x H): 375 x 347 x 231 mm; Weight: 6.7 kg Warranty: 2 years Manufacturer Warranty PRINTER, PHOTO EPSON ECOTANK L18050 Print Method: Ondemand Inkjet Maximum Print Resolution: 5760 x 1440 dpi Minimum Ink Droplet Volume: 1.5pl Automatic Duplex Printing: No Print Direction: Bi- directional printing, Uni-directional printing Nozzle Configuration: 90 per colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Print Speed: Up to 15ppm/15ppm Paper Sizes: A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4x6""), 13x18cm (5x7""), 16:9 wide size, Letter (8.5x11""), Legal (8.5x14""), Half Letter (5.5x8.5""), 9x13cm (3.5x5""), 13x20cm(5x8""), 20x25cm(8x10""),	28	19,980.00 38,980.00	414,783.00 559,440.00
		Sub-total:			1,013,203.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

Revision No. 03

ALOBS No.:

02-206441-2024-11-3702

LD E. VELASCO

President

uthorized Official

Amount:

Very truly yours,

2,300,548.00

JASPER A. YAUDER, CPA

Budget Officer

Effectivity Date: August 24, 2020

Page 5 of 11



DELIVERY DUE DATE: 0 2 JAN 2025

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

007-819-633-00000 VAT Reg.

Address: 454-I T. Sulit St., Bdry, Martirez Del '96 Pateros, Metro Manila

Type of Business:

Merchandising

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.:

2024-722 11/13/2024

Date:

Mode of Procurement:

Public Bidding

Gentlemen:

TIN No.:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery:		TARLAC STATE UNIVERSITY	Delivery '	Term:	30 Calendar days
Date of Deli	Date of Delivery:		Payment Term:		<u>N/30</u>
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		Balance Forwarded:			1,013,203.00
		Envelopes: #10(4.125x9.5""); DL(110x220mm), C4 (229x324mm),			
		C6(114x162mm); With Additional 2 pieces of Maintenance Box			
		Warranty: 2 years manufacturer's warranty or Repair or Replacement,			
		coverage both parts and labor, from manufacturer's authorized			
		technicians or service centers			
33	unit	PRINTER, LABEL PORTABLE EPSON LABELWORKS LW-600P Width:	2	7,845.00	15,690.00
		6, 9, 12, 18, 24 mmTape Type: LK Tape Cartridges Printing: Cutter			
		Type: Automatic Full Cut Printing Technology: Thermal Transfer			
		Printing Resolution: 180 dpi / 128 dot Text Data: Printable Lines:			

PC/App Dependent Memory: Files (Built-in Memory): PC/App Dependent Print Setting: Repeat Printing: Up to 99 (App)/999 (PC) Character Settings: Font Sizes: 6 (App) / PC Dependent Vertical Printing: Yes Mirror Printing: Yes Barcode Printing: Yes, Wire Wrap: Yes, Flag Style (Double-sided): Yes, Doublesided Tab: Yes Image Printing: Yes Interface: USB, Bluetooth Operating System: iOS, Android (Mobile), Windows, Mac OS (PC) Battery: 6AAA AC Adapter: Bundled Warranty: at least 1 year warranty 34 unit PRESENTATION REMOTE, LOGITECH R400 Laser Class: Class 2 Laser 2 2.900.00 5.800.00 Max Output: Less than 1mW Wireless technology 2.4 GHz wireless technology Battery type 2 AAA batteries Dimensions (+/-10%) H x W x D: 37.8 mm x 115.5 mm x 27.4 mm Warranty: 3 years local supplier warranty 35 unit A3 Wi-Fi AIO PRINTER, EPSON ECOTANK L15150 Printer Type: 54,975.00 274,875.00 Print, Scan, Copy, Fax with ADF; Print Method: Precision CoreTM Printhead; Minimum Ink Droplet Volume: 3.8 pl; Print Direction: Bidirectional printing; Nozzle Configuration: 800 * 1 nozzles Black, 256 * 1 nozzles per colour (Cyan, Magenta, Yellow); Maximum Resolution: 4800 * 2400 dpi; Automatic 2-sided Printing: Yes (up to A3); Print Speed: up to 20ipm; Dimension: 515 * 500 * 350mm Weight: 20.7kg; With Additional 2 pieces of Maintenance Box

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

<u>LIGHTNET CONNECT SYSTEMS</u> (Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Revision No. 03

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Very truly yours,

Sub-total:

LD E. VELASCO

02-206441-2024-11-3702

ALOBS No.:

2,300,548.00

Amount:

Effectivity Date: August 24, 2020

Page 6 of 11

1,309,568.00



Tel. No.: 045-606-8142/606-8157

0975-456-4680

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

007-819-633-00000 VAT Reg.

Merchandising

DELIVERY DUE DATE: 0 2 JAN ZUZO

PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Tel. No.: Gentlemen:

Address:

TIN No.:

Type of Business:

Please furnish this office the following articles subject to the terms and conditions contained herein:

454-I T. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Place of Delivery: TARLAC STATE UNIVERSITY		TARLAC STATE UNIVERSITY	Delivery Term:		30 Calendar days
Date of Deli	very:		Payment	ayment Term: N/30 untity Unit Cost Total Cos	<u>N/30</u>
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		Balance Forwarded:			1,309,568.00
		Warranty: 2 years manufacturer's warranty or Repair or Replacement,			
		coverage both parts and labor, from manufacturer's authorized			
37	unit	technicians or service centers PROJECTOR, LCD W/ PRESENTER EPSON EB-W51 WXGA 3LCD		40 500 00	242 000 00
37	diffe	Projection Technology: RGB liquid crystal shutter projection system	6	40,500.00	243,000.00
		(3LCD) White Light Output (Normal/Eco): 4,000 Im Colour Light			
		Output: 4,000 Im USB Type A: 1 (For Wireless LAN, Firmware Update,			
		Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD			
-		Settings) Composite: 1 RCA D- Sub 15pin: 1 Digital Input: HDMI x 1			
		Audio Input: 2RCA (White & Red) x 1 Contrast Ratio: 16,000:1			
		Standard Size: Tele: 33" to 320" [1.10 to 10.89 m), Wide: 33" to 320"			
		0.91 to 9.07 m) Vertical/Horizontal Keystone:±30° /±30° (Auto			
		Vertical Keystone only) Quick Corner: Yes LCD:Size: 0.59" (C2fine)			
		Native Resolution: WXGA (1280 x 800) Lightsource: Type: 210W UHE			
		Life (Normal/Eco): 6,000/ 12,000 hours Aspect Ratio:16:10			
		Accessories: Carrying Bag Warranty: 1 year local Supplier Warranty			
		Presenter Laser Class: Class 2 Laser Max Output: Less than 1mW			
		Wireless technology 2.4 GHz wireless technology Battery type 2 AAA			
		batteries Dimensions (+/-10%) H x W x D: 37.8 mm x 115.5 mm x 27.4			
		mm Warranty: 3 years local supplier warranty			
40	piece (s)	SD CARD, MICRO SAMSUNG PRO ENDURANCE Form Factor:	16	3,995.00	63,920.00
		microSDXC Capacity: 256GB Bus Speed Mode: UHS-I SDR104 Speed			
		Class: Class 10, V30 Read: Up to 100MB/s Write Up to 40MB/s			
		Endurance Hours: 140,160 Protection: Water-proof, Temperature-proof, X-ray-proof, Magnetic-proof, Drop-proof, Wearout-proof			
		Features Extreme Endurance for Monitoring Devices, Built: to last up			
		to 140K hours, Record and Play in FHD or 4K, Critical data			
		Safeguarded Warranty: 5 years manufacturer's warranty			
		Sub-total:			1,616,488.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

<u>IGHTNET CONNECT SYSTEMS CORP.</u>

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name: Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

ALOBS No.: 02-206441-2024-11-3702

Amount:

Very truly yours,

7 of 11

LD E. VELASCO

President

Authorized Officia

2,300,548.00

Effectivity Date: August 24, 2020 Page



DELIVERY DUE DATE: 0 2 JAN 2025

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Type of Business:

Merchandising 007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Gentlemen:

TIN No.:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Del	Place of Delivery: TARLAC STATE UNIVERSITY		Delivery '	Гerm:	30 Calendar days
Date of Deli	very:		Payment	Term:	N/30
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
43	unit	Balance Forwarded: STORAGE, INTERNAL SSD NVME, SAMSUNG 980 PRO Capacity: 2TB; Product Type: PCIe 4.0 NVMe SSD Encryption: AES 256-bit Full Disk Encryption, TCG/Opal V2.0, Encrypted Drive (IEEE1667) Read/Write Speeds: 7,000/5,000 MB/s; Interface: PCIe Gen 4.0 x 4, NVMe 1.3c M.2 2280: Yes NAND Flash Memory: V-NAND 3bit MLC DRAM Cache Memory: 2GB LPDDR4 Warranty: 5 years manufacturer's warranty	1	18,500.00	1,616,488.00 18,500.00
44	unit	STORAGE, INTERNAL SSD NVME, SAMSUNG 970 EVO PLUS 250GB SSD Product Type: PCIe 3.0 x4, NVMe 1.3 Encryption: AES 256-bit Full Disk Encryption, TCG/Opal V2.0, Encrypted Drive (IEEE1667) Read/Write Speeds: 3,400/1,500 MB/s Capacity: 250GB Interface: PCIe Gen 3.0 x 4, NVMe 1.3c M.2 2280: Yes NAND Flash Memory: V-NAND 3bit MLC DRAM Cache Memory: 512MB LPDDR4 Warranty: 5 years manufacturer's warranty	15	4,900.00	73,500.00
45	unit	STORAGE INTERNAL SSID, SAMSUNG 870 EVO 2.5 500GB SSD, Product Type: SATA SSD Encryption: AES 256-bit Full Disk Encryption, TCG/Opal V2.0, Encrypted Drive (IEEE1667) Read/Write Speeds: 560/530 MB/s Capacity: 500GB Interface: SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & 1.5 interfaces 2.5-inch form factor: Yes, NAND Flash Memory: V-NAND 3bit MLC DRAM Cache Memory: 512MB LPDDR4 Warranty: 5 years manufacturer's warranty	18	4,950.00	89,100.00
46	unit	TESTER, NOVKER NK4000D OTDR Optical Fiber Tester Type: UPC Use: FTTX Fiber Type: Singlemode Application: FTTH System Language: English Wave: 1310/1550nm Display: 4.3 inch Product Name: Optical Time Domain Reflectometer / OTDR Inclusions: 1 x Host, 1 x AC/DC Power Adapter, 1x Data Line, 1 x SC Adapter, 1 x U Disk or TF Card (Contains Analysis Software / User's Manual), 1 x Fast Operation Manual, 1 x Certificate/Warranty Card, 1 x Calibration Certification, 10 x Alcohol Cotton Chips, 1 x Instrument Bag Warranty: 1 year local supplier warranty	1	19,300.00	19,300.00
		Sub-total:			1,816,888.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

LIGHTNET CONNECT'S

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name: Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Revision No. 03

Budget Officer

02-206441-2024-11-3702 ALOBS No.:

Property.

Very truly yours,

2,300,548.00 Amount:

Effectivity Date: August 24, 2020 Page 8 of 11

D E. VELASCO

President

thorized Officia



DELIVERY DUE DATE: 0 2 JAN 2025

Tel. No.: 045-606-8142/606-8157

Procurement Unit

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila PR No.: PO No.:

2024-04-157 2024-722

Type of Business:

Merchandising

Date:

11/13/2024

TIN No.:

007-819-633-00000 VAT Reg.

Tel. No.:

0975-456-4680

Mode of Procurement:

Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery:		TARLAC STATE UNIVERSITY	Delivery '	Гегт:	30 Calendar days
Date of Deli	very:		Payment	Term:	N/30
Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
47	unit	Balance Forwarded: UNINTERRUPTED POWER SUPPLY, APC BVX1200LI-MS Rated power in W: 650 W Rated power in VA: 1200 VA Input Connection Type: IEC 60320 C14 Output connection: 4 x universal, 1 x IEC 60320	7	7,800.00	1,816,888.00 54,600.00
49	unit	C13 Battery type: Lead-acid battery Mounting support Floor Network frequency 50/60 Hz +/-5 Hz auto-sensing Input voltage limits 140 to 300 V 230 V AC Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive Wave type: Stepped approximation to a sinewave IP degree of protection: IP20 Battery voltage: 12 V Battery capacity 9.0 Ah Battery life 2-to-3-year(s) Surge energy rate 273: J Mercury free: Yes Warranty: 2 years Local Supplier Warranty ADAPTER, POWER APPLE 96W USB-C (to be used with existing	1	5,900.00	5,900.00
		equipment) The 96W USB-C Power Adapter offers fast, efficient charging at home, in the office, or on the go. It's compatible with numerous USB-C devices and charging cables. Apple recommends pairing this power adapter with your 14-inch MacBook Pro (2021) using a USB-C to MagSafe 3 Cable or USB-C Charge Cable to take advantage of fast charging, so you can go from 0 to 50 percent charge in around 30 minutes.	_		
50	unit	CABLE, CHARGER APPLE USB-C (to be used with existing equipment), USB-C Charge Cable (2 m) Compatible for Mcbook pro 20W USB-C Power Adapter	1	1,990.00	1,990.00
51	unit	CARD READER, SANDISK IMAGEMATE PRO SDDR-A631-GNGNN Type C Multi-card Reader Writer SD micro-SD CF Compact Flash SDDR-A631 Thing Weight 6.3 ounces Item Dimensions 4.84 x 2.28 x 0.72 inches Thing Dimensions LxWxH 4.84 x 2.28 x 0.72 inches Attachment and-play multi- design card peruser for SDHC and SDXC, microSD), and CompactFlash cards Works with UHS-II, UHS-I and non-UHS SD and microSD cards, and CompactFlash cards up to UDMA 7 USB 3.0 interface can move content up to 10x quicker than USB 2.0 interface,	4	2,475.00	9,900.00
		Sub-total:			1,889,278.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

LIGHTNET CO

(Signature over printed name & date)

Bank Account Name:

Very truly yours,

Bank Account Number: Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

ALOBS No.: 2,300,548.00

Amount:

Effectivity Date: August 24, 2020

D E. VELASCO

Page 9 of 11



DELIVERY DUE DATE: 0 2 JAN 2025

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Merchandising Type of Business:

007-819-633-00000 VAT Reg. TIN No.:

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Date of Delivery: Payment Payment	T	N/30 Total Cost 1,889,278.00
Balance Forwarded: (1) in reverse viable with USB 2.0. Works with Windows and Mac PCs. Quick exchange rates of up to 312MB/s for SD and microSD cards, (1) up to 160MB/s for CompactFlash cards (1) (1) Based on standard CompactFlash, UHS-II SD, UHS-II microSD, and USB interface speeds;		
(1) in reverse viable with USB 2.0. Works with Windows and Mac PCs. Quick exchange rates of up to 312MB/s for SD and microSD cards, (1) up to 160MB/s for CompactFlash cards (1) (1) Based on standard CompactFlash, UHS-II SD, UHS-II microSD, and USB interface speeds;	9150.00	1,889,278.00
Quick exchange rates of up to 312MB/s for SD and microSD cards, (1) up to 160MB/s for CompactFlash cards (1) (1) Based on standard CompactFlash, UHS-II SD, UHS-II microSD, and USB interface speeds;	9150.00	
up to 160MB/s for CompactFlash cards (1) (1) Based on standard CompactFlash, UHS-II SD, UHS-II microSD, and USB interface speeds;	0.150.00	
CompactFlash, UHS-II SD, UHS-II microSD, and USB interface speeds;	0.150.00	
	0.150.00	
rexecution may shift contingent upon genuine card speed, use case and i	0.150.00	
host gadget. 1MB=1,000,000 bytes.	0.150.00	
		228,750.00
52 unit UTP CABLE-CAT 6 (BLUE), PANDUIT TX6 (PUC6C04BU-FE) 25 Conductors/ insulators: 24 AWG solid copper insulated with HPDEE	9,130.00	220,730.00
Flame rating: PVC (CMR)-UL 1666 PoE compliance: Meets IEEE		
802.3af and IEEE 802.3at for PoE applications Installation tension:		
110 N (25 lbf) maximum Cable Jacket: PVC (CMR) - Flame retardant		
PVC		
53 unit VOICE RECORDER, SONY ICD-UX570 with SAMSUNG EVO PLUS 64GB 5	9,900.00	49,500.00
MICROSDXC Specifications: Battery Type: Built-In Lithium Battery		
Built- In Memory: 4 GB Built-In Microphone: Yes Calendar Search: Yes		
LCD Backlight: Yes Maximum Files Per Folder: 199 Maximum Files	1	
(Total): 5,000 Files (Including Number Of Folder) PC Connectivity: Yes		
Playback Format: LPCM/MP3/AAC/WMA Recording Format: Linear		
PCM/MP3 USB Connection Charging: Yes Scene Select: Yes Sync		
Recording Function: Yes Recording Monitor: Yes FM Radio Recording:		
Yes VOR:Yes A-B Repeat: Yes Digital Pitch Control (Speed Control):	1	
Yes Divide : Yes Easy Search: Yes Erase: Yes File Copy Yes Folder Name		
Change (Without Using PC): Yes Graphic Equalizer: Yes Move File: Yes	1	
Noise Cut Yes (Clear Voice) Protect : Yes Track Mark: Yes Features -		
Reduce background noise with Auto Voice Recording - Get a better		
sound with Auto Music Recording - Capture distant or quiet sounds with S- Microphone - Get to the point with Time Jump - Wider,		
brighter recording LED- Turn it up with Playback Normalization		
Sub-total:		2,167,528.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

ABEGAIL LIGHTNET CONNECT SYSTEMS

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Budget Officer

Revision No. 03

Very truly yours,

ALOBS No. 02-206441-2024-11-3702

E. VELASCO

ident

ed Official

Amount: 2,300,548.00

Effectivity Date: August 24, 2020

Page 10 of 11



DELIVERY DUE DATE:

0 2 JAN 2025

Procurement Unit

Tel. No.: 045-606-8142/606-8157

Supplier: LIGHTNET CONNECT SYSTEMS CORP.

Address: 454-IT. Sulit St., Bdry. Martirez Del '96 Pateros, Metro Manila

Type of Business:

Merchandising

TIN No.: 007-819-633-00000 VAT Reg.

Tel. No.: 0975-456-4680 PR No.:

2024-04-157

PO No.:

2024-722

Date:

11/13/2024

Mode of Procurement:

Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Tiease fulfilish this of	fice the following articles subject to the terms and conditions con	taineu ner	ein:	
Place of Delivery:	TARLAC STATE UNIVERSITY	Delivery '	Term:	30 Calendar days
Date of Delivery:		Payment Term: N/30		N/30
Item No. Unit	Description	Quantity	Unit Cost	Total Cost
54 unit	Balance Forwarded: - See clearly with a larger OLED Display - USB direct connection for quick file transfer MicroSD card: Form Factor: microSDXC Capacity: 64GB Bus Speed Mode: UHS-I SDR104 Speed Class: Class 10, V10 Speed Grade: Grade 1 (U1) Transfer Speed: Up to 130MB/s Durability: 10,000 mating cycles Proof Features: Water-proof, Temperature-proof, X-ray-proof, Magnetic-proof, Drop-proof, Wearout-proof Features: Fast and Smooth, Expand and Store big, Fully protected Warranty: 1 year warranty" WIRELESS ROUTER, TP-LINK ARCHER GX90 AX6600 Network Security: SPI Firewall, Access Control, IP & MAC Binding, Application Layer Gateway Guest Network: 2x 5 GHz Guest Network, 1x 2.4 GHz Guest Network VPN Server: OpenVPN, PPTP WiFi Encryption: WPA, WPA2, WPA3, WPA/WPA2-Enterprise (802.1x) Standards: IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz WiFi Speeds:, 5 GHz: 4804 Mbps (802.11ax, HE160), 5 GHz: 1201 Mbps (802.11ax), 2.4 GHz: 574 Mbps (802.11ax) WiFi Range: 8x Detachable High-Performance Antennas, Beamforming, High-Power FEM, 4T4R. WiFi Capacity: Tri-Band, 4x4 MU-MIMO, OFDMA, Airtime Fairness, DFS, 8 Streams Working Modes: Router Mode, Access Point Mode Processor: 1.5 GHz Quad-Core CPU Ethernet Ports: 1x 2.5 Gbps WAN/LAN Port, 1x Gigabit WAN/LAN Port, 3x Gigabit LAN Ports WAN Types: Dynamic IP, Static IP, PPPOE, PPTP, L2TP DHCP: Address Reservation, DHCP Client List, Server Warranty: 1 year local supplier warranty ***********************************	9	14,780.00	2,167,528.00 133,020.00 2,300,548.00

(Total Amount in Words) Two Million Three Hundred Thousand Five Hundred Forty-Eight Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for nonexpendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

LIGHTNET CONNECT SYSTEMS CORP.

(Signature over printed name & date)

Bank Account Name:

Bank Account Number:

Bank Name:

Bank Address:

Funds Available:

No.: TSU-PRO-SF-09

JASPER A. YAUDER, CPA

Revision No. 03

Budget Officer

ALOBS No.: 02-206441-2024-11-3702

LD E. VELASCO

Amount:

Very truly yours,

2,300,548.00

Effectivity Date: August 24, 2020