

DELIVERY DUE DATE: 0 1 FEB 2025

Procurement Unit

Tel No.: 045-606-8142/606-8157

Supplier: **IPSOLUTIONS, INC.**

Address: Unit 502 Solare Bldg., Capri Oasis, Pasig Dr. Sixto

Antonio Ave., Maybunga, Pasig City

TIN: <u>008-924-552-000 VAT Reg.</u>

Tel. No.: 0999-416-6481/0960-458-3200

,

Work Order No.: 2024-378

Date: 11/15/2024

JO No.: 2024-313

Date: 8/8/2024

Mode of Procurement: Public Bidding

Mode of Payment: N/30

SIR/MADAM:
You are hereby advised to accomplish/deliver the following job/work within Sixty (60) calendar days
upon receipt of the Notice of Award as per quotation submitted by you duly approved by the TSU Committee on Bids and Awards
and the President of the Agency

CONFIGURATION OF TSU WI-FI MODERNIZATION FOR LUCINDA CAMPUS (PHASE 2) INDOOR ACCESS POINT, RUIJIE RG-AP820-AR (V3) (21,427.12 x 59 = 1,264,200.08): Wi-Fi 6 Tri-Radio 3.843 Gbps Indoor Access Point 5 Gbps SFP combo port for flexible networking; Seamless client roaming enabled by Al radio Real-Time, full-band scanning for a secure network; 160 MHz high bandwidth, 3.843 Gbps high speed with Wi-Fi 6; Unified cloud management for easy 0&M Max. number of BSSIDs - 32 (up to 16 BSSIDs per radio); Max. number of WLAN IDs-16; CAPWAP- IPv4/IPv6 CAPWAP/CAPWAP through NAT; Data forwarding - Centralized and local forwarding; Wireless roaming - Layer 2 and Layer 3 roaming; 24-Port 10GE All-Optical Layer 3 Managed Core & Aggregation Switch, RG-S6150-24VS8CQ X (345,000.00 x 1 = 345,000.00]: Rich port types, 24 x 10G optical ports, and 8 x 40G/100G optical ports for uplink VSU virtualization, flexible networking and high performance; Layer 3 routing control, adaptive to multiple services, efficient and guaranteed data transmission; Network security policies and real-time	QTY.	UNIT	DESCRIPTION	UNIT COST	TOTAL COST
Paired with INC for simplified and efficient 0&M 1 x management port, 1 x console port, and 1 x USB 2.0 port; Switching capacity - 2.8Tbps Link aggregation- Supported MPLS - 6PE/6VPE interconnection with IPv4/IPv6 MPLS backbone network; NMS and maintenance - Flow- based mirroring, and N:1 and 1:N port mirroring/ Could-based management/CWMP; 24- Port GE Electrical Layer 3 Managed PoE Access Switch, RUIJIE RG-S5300-24GT4XS-P-E (65,000.00 x 6 = 390,000.00): Rich port types, PoE+ supported, 24 x 1000 Mbps Ethernet ports, 4 x 10G optical ports for uplink VSU virtualization, flexible networking and high		lot	SUPPLY, DELIVERY, INSTALLATION AND CONFIGURATION OF TSU WI-FI MODERNIZATION FOR LUCINDA CAMPUS (PHASE 2) INDOOR ACCESS POINT, RUIJIE RG-AP820-AR (V3) (21,427.12 x 59 = 1,264,200.08): Wi-Fi 6 Tri-Radio 3.843 Gbps Indoor Access Point 5 Gbps SFP combo port for flexible networking; Seamless client roaming enabled by Al radio Real-Time, full-band scanning for a secure network; 160 MHz high bandwidth, 3.843 Gbps high speed with Wi-Fi 6; Unified cloud management for easy 0&M Max. number of BSSIDs - 32 (up to 16 BSSIDs per radio); Max. number of WLAN IDs-16; CAPWAP- IPv4/IPv6 CAPWAP/CAPWAP through NAT; Data forwarding - Centralized and local forwarding; Wireless roaming - Layer 2 and Layer 3 roaming; 24-Port 10GE All-Optical Layer 3 Managed Core & Aggregation Switch, RG-S6150-24VS8CQ X (345,000.00 x 1 = 345,000.00): Rich port types, 24 x 10G optical ports, and 8 x 40G/100G optical ports for uplink VSU virtualization, flexible networking and high performance; Layer 3 routing control, adaptive to multiple services, efficient and guaranteed data transmission; Network security policies and real-time monitoring, delivering enhanced network robustness; Paired with INC for simplified and efficient 0&M 1 x management port, 1 x console port, and 1 x USB 2.0 port; Switching capacity - 2.8Tbps Link aggregation- Supported MPLS - 6PE/6VPE interconnection with IPv4/IPv6 MPLS backbone network; NMS and maintenance - Flow- based mirroring, and N:1 and 1:N port mirroring/ Could-based management/CWMP; 24- Port GE Electrical Layer 3 Managed PoE Access Switch, RUIJIE RG-S5300-24GT4XS-P-E (65,000.00 x 6 = 390,000.00): Rich port types, PoE+ supported, 24 x 1000 Mbps Ethernet ports, 4 x 10G optical ports for		5,899,790.00

(Please read carefully at the back hereof)

Charge to: N. MWY ROA No.: 100 4-11-1049 CONFORME & RECEIVE COPY:

IPSOLUTIONS, INC.
Firm/Dealer/Supplier/Contractor

2 NOV 2024

Date

Bank Account Name: IRCOLVTIONS INC.

Bank Account Number: 1641-1017- 25

Bank Name: LAND BANK OF THE PHILIPPINES

Bank Address: PACIG- (- RAYMUNDO

Form No.: TSU-PRO-SF 10 Revision No.: 01

FUNDS AVAILABLE:

JASPER A. YAUDER, CPA

Budget Office

APPROVED:

DR. ARNOLD E. VELASCO

President

Authorized Official

Effectivity Date: March 01, 2017

Page 1 of 4



DELIVERY DUE DATE: 0 1 FEB 2025

Work Order No.: 2024-378

Procurement Unit

Tel No.: 045-606-8142/606-8157

Supplier:

IPSOLUTIONS, INC.

Address:

Unit 502 Solare Bldg., Capri Oasis, Pasig Dr. Sixto

Antonio Ave., Maybunga, Pasig City

TIN:

008-924-552-000 VAT Reg.

Tel. No.:

0999-416-6481/0960-458-3200

Date:

Date:

2024-313 8/8/2024

Mode of Procurement:

10 No.:

11/15/2024

Public Bidding

Mode of Payment:

N/30

SIR/MADAM:

You are hereby advised to accomplish/deliver the following job/work within Sixty (60) calendar days upon receipt of the Notice of Award as per quotation submitted by you duly approved by the TSU Committee on Bids and Awards and the President of the Agency

QTY.	UNIT	DESCRIPTION	UNIT COST	TOTAL COST
		performance; Network security policies and real-time		
		monitoring, delivering enhanced network robustness;		
		Abundant QoS policies for flexible resource allocation,		
		making congestion a thing of the past; Intelligent speed		
		regulation, port auto sleep, energy-saving; Multiple		
		management modes, simplified and easy network		
		mainteriance; System switching capacity - 154 Gbps;		
		System packet forwarding rate - 115 Mpps;		
		Management - 1 MGMT port, 1 console port, and 1 USB		
		port, compliant with USB2.0 standard NMS and		
		maintenance - Web/NETCONF/ CWMP; Wireless		
		Controller, RUIJIE RG-WS6008 (306,790.00 x 1 =		
		306,790.00): Easy Web Management; Artificial		
		Intelligent Cloud Service Application Scenario; IEEE		
		802.11 security and encryption - Multi-SSID mode /		
		SSID hiding/CCMP/TKIP/ Anti-ARP spoofing; User		
		isolation - AC-based user isolation / AP-based user		
		isolation / WLANbased user isolation; CPP - Supported;		
		NFPP - Supported; AP virtualization - Supported);		
		Network management platform - Web/Cloud/Wi-Fi		
	1	Heat map; User access management - Console port		
		login/Telnet login / SSH login / FTP upload; Wi-Fi		
		Equipment Features, RUIJIE RG-WIS: Access point,		
		Switch and Controller can be managed via Cloud; Device		
		stability; Signal coverage; Association stability; User		
		experience; Terminal activity/Network saturation;		
		Transceiver, RUIJIE XG-SFP-SR- MM850 (4,800.00 x		
		12 = 57,600.00) : 10GBASE-SR, SFP+ Transceiver, MM		
		(850nm, 300m, LC); Power Module, RUIJIE XG-		
		PA550I II-F (48,994.46 x 2 = 97,988.92): Rated input		
		voltage AC input: 100 V AC to 240 V AC; 50 Hz to 60 H;		
		Maximum input voltage AC input: 90 V AC to 290 V AC;	Í	
		47 Hz to 63 Hz HVDC input: 192 V DC to 288 V DC;		
		Maximum input current AC input: 7.2 A; Output voltage		
		12 V, 12 VSB; Maximum output current 12 V output: 0		
		to 45 A 12 VSB output: 0 to 2.1 A; Maximum output		

(Please read carefully at the back hereof)

Charge to: 06 Mu ROA No. & RECEIVE COPY:

n. will IPSOLUTIONS, INC.

Firm/Dealer/Supplier/Contractor

Bank Account Name: IPSOLUTIONS INC.

Bank Account Number: 1641-1013 - 25

Bank Name: LAND BANK OF THE PHILIPPINES

Bank Address: PASIG - C - RAYMUNDO

Form No.: TSU-PRO-SF 10 Revision No.: 01

FUNDS AVAILABLE:

JASPER A. YAUDER, CPA

Budget Office

APPROVED:

DR. ARNOLD E. VELASCO

Authorized Official

Effectivity Date: March 01, 2017

Page 2 of 4



DELIVERY DUE DATE: 0 1

FEB 2025

Procurement Unit

Tel No.: 045-606-8142/606-8157

Supplier:

IPSOLUTIONS, INC.

Address:

Unit 502 Solare Bldg., Capri Oasis, Pasig Dr. Sixto

Antonio Ave., Maybunga, Pasig City

TIN:

008-924-552-000 VAT Reg.

Tel. No.:

0999-416-6481/0960-458-3200

Work Order No.: 2024-378

Date:

11/15/2024

IO No.:

2024-313

Date:

8/8/2024

Mode of Procurement:

Public Bidding

Mode of Payment:

N/30

SIR/MADAM:

You are hereby advised to accomplish/deliver the following job/work within Sixty (60) calendar days upon receipt of the Notice of Award as per quotation submitted by you duly approved by the TSU Committee on Bids and Awards and the President of the Agency

QTY.	UNIT	DESCRIPTION	UNIT COST	TOTAL COST
***************************************		power 550 W; Network Monitoring Software,		
		WHATSUP GOLD (100,000.00 x 1 = 100,000.00):		
		Must have the following features: Discovery,	## S	
		Availability & Status, Performance Monitoring, Alerting,		
		Reporting, Inventory, Advanced Monitoring (WMI, SSH,		
		HTTPS), Wireless Monitoring, Cloud Monitoring,		
	1	Storage Monitoring REST API; Multi-factor		
		Authentication device, YUBIKEY 5 ANC (5,000.00 x		
		20 = 100,000.00): Authentication and cryptographic		
		protocols supported include FIDO Universal 2nd Factor		
		(U2F), FIDO2/WebAuthn, Personal Identity Verification-		
		compatible (PIV) Smart Card, and OpenPGP smart card.;		
		Works across major operating systems including		
		Microsoft Windows, macOS, iOS, Android, and Linux, as		
		well as leading browsers.; Available form factor that		
		enables admins to connect via USB; NFC capabilities for		
		secure tap and go authentication on all the modern		
		devices Streamlines asset tracking and account		
	1	recovery processes with enterprise attestation for		
	1	custom programmed keys; Enforces compliance		
	1	requirements and elevates security for PIN usage with		
		the latest FIDO2 features such as Force PIN Change and		
		Minimum PIN Length.; Expanded storage capabilities		
		for FIDO2 discoverable credentials and OATH one-time		
		passwords, accommodating up to 100 passkeys and 64		
	1	OATH slots per application; The hardware MFA must		
		support multiple authentication protocols in a single		
		key such as FIDO2, FIDO U2F, OpenPGP, PIV, OATH		
		Suppliers keys should meet AAL 3 relevant demands; As		
		a security device, the keys and associated firmware		
		must not be manufactured in certain country such as:		
		China, North Korea, Iran, Syria, Cuba, Sevastopol region;		
		Supplier must demonstrate ability to provide end-user		
		documentation (Registration/How to guides etc)		
		Supplier must demonstrate durability of keys - provide		
	1	technical stats; Data Cabinet (15,000.00 x 8 =		

(Please read carefully at the back hereof)

Charge to: Ne. MW41 ROA No : 1 24 11 - 13 49 CONFORM & RECEIVE COPY:

JOSETH OF DUCE IPSOLUTIONS, INC.

Firm/Dealer/Supplier/Contractor NOV 2024

Bank Account Name: IPCOWTIONS INC.

Bank Account Number: 1641-1017-35

Bank Name: LAND BANK OF THE PHILIPPINES

Bank Address: PACIG- C- RAYMUNDO

Form No.: TSU-PRO-SF 10

Revision No.: 01

FUNDS AVAILABLE:

ASPER A. YAUDER, CPA

Budget Office

APPROVED:

D E. VELASCO

Authorized Official

Effectivity Date: March 01, 2017

Page 3 of 4



DELIVERY DUE DATE:

FEB 2025

11/15/2024

Procurement Unit

Tel No.: 045-606-8142/606-8157

IPSOLUTIONS, INC. Supplier:

Address: <u>Unit 502 Solare Bldg., Capri Oasis, Pasig Dr. Sixto</u>

Antonio Ave., Maybunga, Pasig City

TIN: 008-924-552-000 VAT Reg.

Tel. No.: 0999-416-6481/0960-458-3200 10 No.: 2024-313

Date:

Date: 8/8/2024

Work Order No.: 2024-378

Mode of Procurement: **Public Bidding**

Mode of Payment: N/30

SIR/MADAM:

You are hereby advised to accomplish/deliver the following job/work within **Sixty (60) calendar days** upon receipt of the Notice of Award as per quotation submitted by you duly approved by the TSU Committee on Bids and Awards and the President of the Agency

QTY.	UNIT	DESCRIPTION	UNIT COST	TOTAL COST
		120,000.00): Wall Mount Cabinet, height 9U, width		
		600mm, depth 450mm; With 1U 19" power distribution		
		unit, w/aluminum body, US (NEMA5-15P) Plug; 6		
		universal outlets, with LED master switch; Network &		
		Structured Cabling (3,118,211.00 x 1 =		
		3,118,211.00); Mobilization/Demobilization Labor and		
		engineering for Roughing- in Installation of Access Point;		
		Access point including Cable Termination, Testing &		
		Commissioning; As-Built Documentation, For the		
		following BLDG: FTRC, Student Center, Guard House,		
		TLE and ACAD Building.; Fiber Optic Backbone for NSTP		
		Building, CPAG Gate 2 Building, Guard House Gate 1, TLE		
		Building and Alumni Building going to Server Room";		
		OM4, Steel Armored, FRP CSM, multi-tube, PE, 8-core		
		Premium Line Category 6 U/UTP Installation Cable, 305		
		m Box, PVC, Blue Support Service Requirements: The		
		bidder must have at least 2 full time employee that is		
		certified to the product that is being offered (Access		
		point and Switch); Bidder must be Authorized Partner of		
		Product being offered - Certificate issued by the		
		product's manufacturer (Access point and Switch);		
		Bidder must have a Manufacture and Warranty		
		Certificate issued by the product's manufacturer; Bidder		
		must have a certification from TSU IT Office that they		
		have conducted a Site Survey to ensure Network Cabling		
		requirements are met.; 2 days onsite Training for		
		designated Network and Security Administrators,		
		provided with training certificate from the network		
		equipment manufacturer; Warranty: 3-year warranty		
		for the fully configured devices included in the project.		
		Include equipment manufacturer and distributor		
		warranty certificates.		

		(Please read carefully at the back bereef)		

(Please read carefully at the back hereof)

Charge to: Ok- Www! ROA No. CONFORME & RECEIVE COPY:

ETHYN, DULCE PSOLUTIONS, INC.

Firm/Dealer/Supplier/Contractor

Form No.: TSU-PRO-SF 10

8 NOV 2024 Date

Bank Account Name: | PSOLUTIONS INC.

Bank Account Number: 1641-1017-25

Bank Name: LAND BANK OF THE PHILIPPINES

Bank Address: PACIG - C - RAYMUNDO

Revision No.: 01

FUNDS AVAILABLE:

JASPER A. YAUDER, CPA

Budget Office

APPROVED:

DR. ARNO D E. VELASCO

President

Authorized Official

Effectivity Date: March 01, 2017

Page 4 of 4